

blue<sup>®</sup>m, for the protection of injured periodontal tissue



Drs. Irfan Abas

- 2002-2008 Studied Dentistry at the Amsterdam University
- 2010-2014 Studied Reconstructive Dentistry at the Nijmegen University
- Is since then acknowledged Restorative Dentist by the NVvRT

blue<sup>®</sup>m, for the protection of injured periodontal tissue

Chronic gingivitis (6 years) Initial therapy supported with blue<sup>®</sup>m oral gel: 2 weeks healing



blue<sup>®</sup>m, for the protection of injured periodontal tissue



Severe gingivitis for more than 2 years after placement crowns by previous dentist



2 weeks after cleaning and use of blue<sup>®</sup>m toothpaste and mouthwash

blue<sup>®</sup>m, for the protection of injured periodontal tissue

Chronic gingivitis (6 years) Initial therapy supported with blue<sup>®</sup>m oral gel: 2 weeks healing



Result with blue<sup>®</sup>m after 2 weeks



Result with blue<sup>®</sup>m after 2 weeks

blue<sup>®</sup>m, for the protection of injured periodontal tissue

Chronic gingivitis (6 years): Initial therapy supported with blue<sup>®</sup>m oral gel: 2 weeks healing



Result after plastic periodontal surgery (gingival graft) and postoperative rinsing with blue mouthwash and oral

blue<sup>®</sup>m, for the protection of injured periodontal tissue

Work in progress, slow dentistry....



Initial temporary situation



Initial periodontal therapy, oral hygiene reinforcement, blue<sup>®</sup>m oral gel, rinse and toothpaste



Plastic periodontal surgery, healing reinforced with blue<sup>®</sup>m active oxygen